

Outdoor Mounted Display

Available Sizes 22", 32",43",49",55", 65"

Overview



Our Mounted Outdoor Displays are specifically designed to meet the demands of retail and commercial settings, prioritizing quality and reliability. These displays boast an impressive IP65 Rating, allowing them to withstand a variety of weather conditions. Additionally, our Outdoor Freestanding Displays feature waterproof over-molded AV connectors, ensuring that they maintain superior performance during use.

Key Features







4G Network Upgrade For a small charge you can upgrade your

For a small charge you can upgrade your screen to 4G enabled, allowing you to remotely update your outdoor from anywhere. digital signage via LAN, WiFi.



Hardware Modification

Optional extras include a touch screen upgrade, a 3G module for wireless updates and a built in camera for user interactivity. Other hardware integration is available on request.



Anti Reflective Glass

The glass frontage is also anti-reflective to help defuse direct sunlight shining on the display, improving overall clarity.

24/7 Commercial Use



Built using commercial grade LCD panel & LED Backlights, these displays can be in constant 24/7 use for over 70,000 hours. they have no external buttons or controls to avoid tampering





Weatherproof



Vandal Proof

Plug & Play



Sunlight Readable



Interactive Displays Ireland

Dromone, Oldcastle, Co. Meath, Ireland
0449672855 www.interactivedisplays.ie

Vandal Proof



The outer casing of our Outdoor standing Digital Posters is made from mild steel as well as having thermally toughened glass. Controls and openings are hidden and not accessible by passersby.



Plug & Play

The Outdoor Freestanding Digital Posters come with a built in HD Android media player, allowing you to update them using a USB memory stick. Load your pictures & videos onto a USB memory stick then insert it into the display, which will copy the files into its internal flash memory. Once you remove the memory stick the screen will then start playing the pictures and videos in a continuous loop.



Temperature Control System

Not only are these displays able to withstand hot and cold surroundings but they are able t o manage the internal conditions to maximise the life of your product. Built in air-conditioning can now be tailored to allow the display to work at an optimal level in any climate.

Weatherproof



Suitable for the harshest of outdoor conditions – designed with a robust, Corrosion protected, outer casing to give protection from both the elements and the public. The outer casing has an IP65 rating which means it keeps out all airborne swarf, dust and other particles as well as being protected from any wet weather conditions; broadening the range of possible environments.



Third Part Media Player

Should you need to run the screen from another source, such as a small sized third party media player or PC, there is a small secure internal locker in which to place your device.



Sunlight Readable

Brightness is key when using outdoor Digital Signage, our Outdoor Freestanding Digital Posters use Ultra High Brightness panels (2,500cd/m²) more than 8 times brighter than a standard LCD panel to allow easy readability in direct sunlight.

Application



Specifications

22"	32"	43"	49"	55"	65"				
Model: OW22D Display Area: 270×477 Unit Size: 397x737x120 Brightness CD/M2: 2000 Colour: 1.06B Pixel Pitch: 0.2537x 0.2537 Vesa Holes: 350×250 Net Weight: 20.05kg Gross Weight: 23.5kg Power Consumption: 130watts									
22"	32"	43"	49"	55"	65"				
Model: OW32DDisplay Area: 396×702Unit Size: 516x1041x130Colour: 1.06BPixel Pitch: 0.36375×0.36375Vesa Holes: 400×300Net Weight:35kgGross Weight: 49kgPower Consumption: 190watts									
22"	32"	43"	49"	55"	65"				
Model: OW43D Display Area: 526×934 Unit Size: 670x1410x140 Colour: 16.7M Pixel Pitch: 0.1615×0.4845 Vesa Holes: 400×400/400×800 Net Weight:52kg Gross Weight: 78kg Power Consumption: 250watts									
22"	32"	43"	49"	55"	65"				
Model: OW49D Display Area: 603×1073 Unit Size: 746x1500x140 Colour: 1.06B Pixel Pitch: 0.565 × 0.565 Vesa Holes: 500×400/500×800 Net Weight: 74kg Gross Weight: 95kg Power Consumption: 300watts									

Specifications

22"	32"	43"	49"	55"	65"				
Model: OW55D Display Area:684×1215 Unit Size: 817x1637x145 Colour:1.073G Pixel Pitch:0.21×0.63 Vesa Holes: 600×400/600×800 Net Weight:76.5kg Gross Weight: 94.9kg Power Consumption: 430watts									
22"	32"	43"	49"	55"	65"				
Model: OW65D Display Area:803.5×1428.5 Unit Size: 990x1910x140 Colour:1.06B Pixel Pitch:0.744 × 0.744 Vesa Holes: 700×400/700×800 Net Weight:95kg Gross Weight: 120kg Power Consumption: 550watts									
Aspect Ro Brightnes Viewing A	s (CD/M2): 25	00 (Excluding	AV Inputs: Video: HDMI, VGA Power: Input Voltage: AC110~240V (50Hz~60Hz)						
	Protection: IP		Media Player: Video: MPG, AVI, MP4, RM, RMVB, TS						
Storage T Operating	y Temperature emperature: - y Humidity: 109 lumidity: 5% to	-30°C to 60°C % to 80%	Audio: MP3, WMA Image: JPG, GIF, BMP, PNG						
Internal M	solution: 1920> lemory: 6GB		Accessories: Included:AC Power Cable, Remote Control Optional:Touch Screen Upgrade, Network						
GPU: Mali RAM: 1GB ROM: 8GB USB: USB LAN: 10/10 only) Wi-Fi: 802		0MHz (Network vers	Upgrade, Came	era					
	only) OS: Android 4.2.2 Graphic Engine: OpenGL ES 1.1/2.0, OpenVG 1.1								